ACLS Checkl	list Report		Printed: 2016-Oct-21 08
	Project: 2016	524025 - a:	ir space
Type o	of Survey: Air Space Survey		
Survey	Document: Air Space Parcel - Plan of Surv	ey of Air Spa	ace Parcel
	Surveyor: Jean Tetreault Permit	t Holder	
	Checklist: 2	Nir Gnade	Pargol
Ole e elel de es		AII space	
Amended Checkl	t Number:		Date Issued: Includes Natural Boundary: Yes
Ameriaea crieeki	rist riom.		Includes Georeferencing Data: Yes
Category	Item	Response	Comments
Plan Title	CLSR and LTO/LRO plan number blocks present on the plan	Unanswered	
Plan Title	Specify Sheet x of n for multi sheet plans	Unanswered	
Plan Title	Plan of Survey of Air Space Parcel	Unanswered	
Plan Title	Name and number of Reserve (spell out), National Park of Canada, etc.	Unanswered	
Plan Title	New Parcel designators shown, (Lot #, Block #, Quad, Road, Subdivision names)	Unanswered	
Plan Title	The name of the subdivision, town site, community, and/or municipality in which the survey	Unanswered	
Plan Title	Section, Township & Range, or Lot and Concession (note if theoretical)	Unanswered	
Plan Title	The District or County (if appropriate)	Unanswered	
Plan Title	The Province or Territory	Unanswered	
Plan Title	Plan Scale Ratio and Bar Scale shown to standard	Unanswered	
Plan Title	Plot Size Stated	Unanswered	
Plan Title	Period of Field Survey Statement.	Unanswered	
Legend	Explanation of other line types	Unanswered	
Legend	Source of any derived data, included methods used to plot features	Unanswered	
Legend	Explanation of all symbols shown	Unanswered	
Legend	Bearing Statement	Unanswered	
Legend	Explanation of all abbreviations used	Unanswered	
Legend	Lands or boundaries dealt with shown thus	Unanswered	
Legend	Distance Units (horizontal at general ground level) specified	Unanswered	
Legend	Scale Factor specified	Unanswered	

Legend	Monument Markings described	Unanswered	
Legend	Ancillary Monumentation described	Unanswered	
Legend	Supplementary Field Notes/Survey Report Cross Reference if applicable	Unanswered	
Legend	The nature of the boundaries of the air space parcel are noted	Unanswered	
Legend	Information on Benchmarks used or established to describe air space parcel is noted	Unanswered	
Georeferencing	The plan diagram shows all GCPs and other control points used in the survey	Unanswered	
Georeferencing	The survey is referenced to a minimum of 2 GCPs	Unanswered	
Georeferencing	The plan diagram shows ties to GCPs	Unanswered	
Georeferencing	Table of coordinates of all GCPs and any other control survey monuments shown	Unanswered	
Georeferencing	The coordinate projection shown	Unanswered	
Georeferencing	The zone of the coordinate system shown	Unanswered	
Georeferencing	The combined scale factor for each GCP shown	Unanswered	
Georeferencing	The estimated absolute accuarcy of all GCPs are stated in the coordinate table	Unanswered	
Georeferencing	The survey is geo-referenced with respect to the NAD83 (CSRS)	Unanswered	
Georeferencing	The version (epoch) of the NAD 83 (CSRS)datum used is shown	Unanswered	
Georeferencing	A statement regarding how coordinates were obtained and how any adjustment was performed i	Unanswered	
Georeferencing	Location of GCPs included on the Key Plan (if required for clarity)	Unanswered	
Georeferencing	The ellipsoid height of each GCP is shown	Unanswered	
Georeferencing	The estimated absolute accuracy of GCPs are 0.10 metres or better	Unanswered	
Georeferencing	All GCPs are physically marked on the ground	Unanswered	
Georeferencing	Absolute Accuracy of Survey is 0.20 metres or better	Unanswered	
Georeferencing	GCPs are geo-referenced by an approved method	Unanswered	
Georeferencing	GCP points are labeled with GCP on diagram	Unanswered	
Georeferencing	Georeferenced to absolute accuracy in accordance with 11.3 (9) and (13)	Unanswered	
		·	

Natural Boundary	Ties to Natural Boundary shown	Unanswered	
Natural Boundary	Ties and/or Coordinates shown in table form on plan (if required for clarity)	Unanswered	
Natural Boundary	If required, multiple measuremments shown on separate field notes (To avoid clutter on the	Unanswered	
Natural Boundary	Annotated photograhs of natural boundary included with field notes or report	Unanswered	
Natural Boundary	Located water boundaries in accordance with current standards	Unanswered	
Natural Boundary	Aerial Photographs, Maps, or imagery used for natural boundary location included with fiel	Unanswered	
Natural Boundary	Water Boundary plotted to an accuarcy of 0.5mm at plan scale	Unanswered	
Natural Boundary	Lands exclude 30.48 reserve where applicable (Yukon)	Unanswered	
Natural Boundary	Dashed line shown on plan 30.48 m from natural boundary (NWT, NU)	Unanswered	
Natural Boundary	Any OHWM close to a boundary is tied in	Unanswered	
Natural Boundary	Identify sources used to plot natural boundary if ties not shown on plan	Unanswered	
Natural Boundary	If intersecting with a water boundary, monument placed on artificial boundary and record d	Unanswered	
Natural Boundary	Natural Boundary Labelled, e.g. OHWM, Top of Bank etc.	Unanswered	
Signatures	Digital Seal on Electronic Documents	Unanswered	
Signatures	SGB Endorsement block shown	Unanswered	
Signatures	All Necessary land administrator and planning endorsement block shown	Unanswered	
Signatures	Ownership of all lands dealt with have been researched and determined	Unanswered	
Signatures	SGB File No. And Reference No.	Unanswered	
Signatures	Appropriate Endorsements and Affidavits	Unanswered	
Signatures	Suveyor's Certification and Seal; Certified Correct	Unanswered	
Signatures	Date of Certification matches the date the plan is issued	Unanswered	
Plan Diagram	North arrow shown and diagram oriented so that north points toward top of plan	Unanswered	
Plan Diagram	Minimum of 2 benchmarks were used to describe air space parcel	Unanswered	
Plan Diagram	Minimum of 1 benchmark is the immediate vicinity of air space parcel.	Unanswered	

Evidence used to support placed monumentation is shown	Unanswered	
All lost or disturbed monuments used in this survey have been re-established (Re-est)	Unanswered	
All bent or obliterated monuments used in the survey have been restored (Res)	Unanswered	
Authorized monumentation was used and is described in the legend	Unanswered	
Heavy Black line of lands dealt with	Unanswered	
The areas of each parcel, road, R/W's etc. are shown to the required precision	Unanswered	
All monuments are marked in accordance with current standards	Unanswered	
Descriptions of the types, condition and markings of monuments used in the survey	Unanswered	
Detail, tables, insets required for clarity	Unanswered	
Ancillary monumentation is used and the type and position is depicted on the plan	Unanswered	
Grid bearings and ground distances shown between monuments unless otherwise specified	Unanswered	
Curve Data shown	Unanswered	
No traverse lines, offsets or radial ties. Unless fundamental to the survey e.g. OHWM	Unanswered	
Width of road, R/W or easement dealt with and the name of the street if known	Unanswered	
Parcel Designation shown (Lot, Block, Road, RW, Quad etc)	Unanswered	
Adjacent parcels and plan numbers shown, boundaries shown with dashed lines except solid w	Unanswered	
Underlying parcels and plan numbers are in phantom or broken	Unanswered	
Limited rights which have registered land interests affecting the lands dealt with are sho	Unanswered	
All evidence searched for or placed reported on plan. Denote FNE when no evidence found of	Unanswered	
Description of the types of control monuments	Unanswered	
Nature and position of features close to boundaries are shown	Unanswered	
Reason for witness monuments and witness markings shown	Unanswered	
Dimensions of existing boundaries agree within accuracy requirements with previous survey	Unanswered	
Any dimensions with significant descrepany with previous surveys have been labeled "CC" to	Unanswered	
	monumentation is shown All lost or disturbed monuments used in this survey have been re-established (Re-est) All bent or obliterated monuments used in the survey have been restored (Res) Authorized monumentation was used and is described in the legend Heavy Black line of lands dealt with The areas of each parcel, road, R/W's etc. are shown to the required precision All monuments are marked in accordance with current standards Descriptions of the types, condition and markings of monuments used in the survey Detail, tables, insets required for clarity Ancillary monumentation is used and the type and position is depicted on the plan Grid bearings and ground distances shown between monuments unless otherwise specified Curve Data shown No traverse lines, offsets or radial ties. Unless fundamental to the survey e.g. OHWM Width of road, R/W or easement dealt with and the name of the street if known Parcel Designation shown (Lot, Block, Road, RW, Quad etc) Adjacent parcels and plan numbers shown, boundaries shown with dashed lines except solid w Underlying parcels and plan numbers are in phantom or broken Limited rights which have registered land interests affecting the lands dealt with are sho All evidence searched for or placed reported on plan. Denote FNE when no evidence found of Description of the types of control monuments Nature and position of features close to boundaries are shown Peason for witness monuments and witness markings shown Dimensions of existing boundaries agree within accuracy requirements with previous survey And dimensions with previous surveys	Monumentation is shown All lost or disturbed monuments used in this survey have been re-established (Re-est) All bent or obliterated monuments used in the survey have been restored (Res) Althorized monumentation was used and is described in the legend Heavy Black line of lands dealt with Heavy Black line of lands dealt with Heavy Black line of lands dealt with The areas of each parcel, road, R/M's etc. are shown to the required precision All monuments are marked in accordance with current standards Descriptions of the types, condition and markings of monuments used in the survey Detail, tables, insets required for clarity Detail, tables, insets required for clarity Ancillary monumentation is used and the type and position is depicted on the plan Grid bearings and ground distances shown between monuments unless otherwise specified Curve Data shown Unanswered No traverse lines, offsets or radial ties. Unless fundamental to the survey e.q. OHWM Width of road, R/W or easement dealt with and the name of the street if known Parcel Designation shown (Lot, Block, Road, RW, Quad etc) Adjacent parcels and plan numbers shown, boundaries shown with dashed lines except solid w Underlying parcels and plan numbers are in phantom or broken Limited rights which have registered land interests affecting the lands dealt with are sho All evidence searched for or placed reported on plan. Denote FNE when no evidence found of Description of the types of control monuments Nature and position of features close to boundaries are shown Dimensions of existing boundaries argue within accuracy requirements with previous survey. Any dimensions with significant descrepany with previous surveys Any dimensions with significant descrepany with previous surveys Dinanswered Unanswered Unanswered

Plan Diagram	Names of water bodies shown	Unanswered	
Plan Diagram	Plan shows the monuments and dimensions of parent parcel either surveyed or copied	Unanswered	
Plan Diagram	Air Space Parcel properly dimensioned	Unanswered	
Plan Diagram	Air Space parcel tied to boundaries of parent parcel	Unanswered	
Background Information	Key Plan and Large Scale Detail insets oriented with diagram	Unanswered	
Background Information	Dashed lines used when depicting surrounding lot fabric	Unanswered	
Background Information	Key Plan shown	Unanswered	
Background Information	Names of places, features and roads shown	Unanswered	
Background Information	Reserve / park boundaries labeled on plan (if applicable)	Unanswered	
Background Information	Name and Number of Reserve on body of plan (if applicable)	Unanswered	
Plan legibility, format	Plan clearly documents the nature and position of the boundaries dealt with by the survey	Unanswered	
Plan legibility, format	Plan is well organized, uncluttered with good choice of layout and space utilization	Unanswered	
Plan legibility, format	Lettering not less than 2mm	Unanswered	
Plan legibility, format	Spelling correct (Band Names and Places)	Unanswered	
Plan legibility, format	Plotting to scale	Unanswered	
Plan legibility, format	Plan size meets specifications	Unanswered	
Plan legibility, format	Margin of 2cm	Unanswered	
Plan legibility, format	Plans prepared on mylar meet specifications	Unanswered	
Survey Report	Survey Report (if required) is included in returns	Unanswered	
Survey Report	Survey Report complies with Standards	Unanswered	
Survey Report	Survey Report is Certified Correct, c/w digital seal	Unanswered	
Digital Spatial File	Returns include a Digital Spatial File (except O&G in Territories and Offshore)	Unanswered	
Digital Spatial File	The digital spatial file is spatially correct, referred to projected coordinates an repres	Unanswered	
Digital Spatial File	The Data is organized on the appropriate layers and represented using the prescribed data	Unanswered	